

LUTZ STEVEN D/ITELUTZ DIANNE S
 9205 SW US HIGHWAY 27
 FORT WHITE, FL 32038

29-6S-16-03969-000

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00

2 SINGLE FAM

100% - 2020

Heated Area: 1892

HX Base Yr 2020

28

31

8

10

4

21

17

32

5

38

12

30

28

38

5

FSP

BAS

FOP

0100

01

2,082

117.1760

273,242

2002

2002

0

0

23.00

77.00</